


Drawings:



Recovery Patterns in Autistic Individuals

Fig. 1




Fig. 2

BEST AVAILABLE COPY




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

BEST AVAILABLE COPY

Reduction of Symptoms: Alzheimer's Disease, Violent Jerking In an Adult Placed on the Special Foods Diet




Fig. 9

Reduction of Symptoms: Severe Constipation, Gas, Congestion, Delayed Motor and Social skills in a Child Placed on the Special Foods Diet




Fig. 10

Reduction of Symptoms: Hyperactivity, Drooling, Acid Imbalance In a Child Placed on the Special Foods Diet




Fig. 11

Elimination of Autism, Violence, OCD
Boy, Age 12, Placed on the Special Foods Diet




Fig. 12

Reduction of Autism, Eczema, Hyperactivity In a Child placed on the Special Foods Diet




Fig. 13

Reduction of Autism, Eczema, Hyperactivity In A Child Placed On The Special Foods Diet




Fig. 14

BEST AVAILABLE COPY

Reduction of Symptoms: PDD, Lack of Eye Contact
In a Child Placed on the Special Foods Diet




Fig. 15

Reduction of Symptoms: Autism, Infantile Spasms,
Diarrhea In a Child Placed on the Special Foods Diet




Fig. 16

Reduction of Symptoms: Autism,Stimms, Non-communication
In a Child Placed on the Special Foods Diet




Fig. 17

Reduction of Symptoms: Autism, Constipation
In a Child placed on the Special Foods Diet




Fig. 18

BEST AVAILABLE COPY